Page 1 of 4 Monday, August 02, 2010

# MSDS - Material Safety Data Sheet Product Name: AIR BRAKE SYSTEM ANTI-FREEZE & RUST GUARD

MSDS No.: M2832

#### I. Basic Information:

Manufacturer: RADIATOR SPECIALTY COMPANY

Address: 600 RADIATOR ROAD

City, ST Zip: INDIAN TRAIL, NC 28079

Country:

Contact: Robert Geer

Information Telephone Number: 704-684--181 1
Emergency Contact: RMPDC (877-740-5015)
Emergency Telephone Number: 303-623-5716

**Emergency Restrictions:** 

Product Name: AIR BRAKE SYSTEM ANTI-FREEZE & RUST GUARD

MSDS No.: M2832

**Issue Date:** 07/29/2010 **Supersedes Date:** 09/30/2008

#### II. Hazards Identification:

#### **EMERGENCY OVERVIEW**

Danger: Poison, Vapor Harmful, Flammable. May be Fatal or cause Blindness if Swallowed. Eye and skin irritant.

Cannot be made nonpoisonous.

#### **OSHA Regulatory Status**

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### **Potential Health Effects**

#### Route(s) of Entry:

Absorption, Inhalation, and Ingestion.

#### Health Hazards (Acute and Chronic):

See signs and symptoms below

#### Signs and Symptoms:

Eye Contact: Can irritate the eyes and cause blurred vision and/or blindness.

Skin Contact: Irritant. Defatting of tissue, dermatitis may occur.

Inhalation: Irritant to mucous membranes. Repeated exposure may cause narcosis, dizziness and death

Ingestion: HARMFUL OR FATAL IF SWALLOWED.
Methanol may damage the liver and nervous system.

Medical Conditions Generally Aggravated by Exposure:

None Known

#### Other Health Warnings:

Vomiting and subsequent aspiration into the lungs may lead to chemical pneumonia and pulmonary edema which is a potentially fatal condition.

#### Potential Environmental Effects

Not Available

#### III. Composition/Information on Ingredients:

Chemical Name	CAS No.	% Range	Trade Secret
Benzotriazole	95-14-7	0.1 - 1.0	
Methanol	67-56-1	60.0 - 100.0	

#### IV. First Aid Measures:

#### **Emergency and First Aid Procedures:**

Eye Contact: Flush eyes with clean water for 15 minutes while lifting eyelids and get prompt medical attention.

Skin Contact: Wash with soap and water thoroughly. If adverse effects persist, get prompt medical attention. Launder contaminated clothing

before reuse.

Inhalation: Remove to fresh air. If breathing becomes difficult get prompt medical attention.

Ingestion: DO NOT INDUCE VOMITING! Call Poison Control Center, physician, or hospital emergency room immediately.

Page 2 of 4 Monday, August 02, 2010

## MSDS - Material Safety Data Sheet Product Name: AIR BRAKE SYSTEM ANTI-FREEZE & RUST GUARD

MSDS No.: M2832
Note to Physicians:

N/D

#### V. Fire Fighting Measures:

#### **Suitable Extinguishing Media:**

Carbon Dioxide, dry chemical or water in large volumes.

#### **Unsuitable Extinguishing Media:**

Not determined

#### **Products of Combustion:**

Normal products of combustion, smoke, carbon dioxide, carbon monoxide.

#### **Protection of Firefighters:**

Wear self-contained positive pressure breathing apparatus and protective clothes.

#### VI. Accidental Release Measures:

#### **Personal Precautions:**

Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.

#### **Environmental Precautions:**

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occurred. Run off to sewer may create fire or explosion hazard.

#### Methods for Containment:

Dike or contain spill and absorb with inert materials (sand, sawdust, absorbent sweeping compounds, rags, etc).

#### Methods for Cleanup:

Using a non-metalic scoop, place contaminated material into an approved chemical waste container. Where possible, vacuum spilled liquid using an explosion proof vacuum to recover material.

#### Other Information:

Prevent run-off to sewers, streams, or other bodies of water. If run-off occurs, notify proper authorities as required that a spill has occured.

#### VII. Handling and Storage:

#### **Handling Precautions:**

Use with adequate ventilation and proper protective equipment, safety glasses, gloves and apron. Danger: Flammable. Do not use or store near fire, sparks, or open flame. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

#### **Storage Precautions:**

Store at temperatures below120° away from oxidizers and acids. Keep container tightly closed when not being used. Do not store near fire, sparks, or open flame.

#### VIII. Exposure Controls/Personal Protection:

Chemical Name	OSHA PEL	ACGIH TLV	Other Limits
Methanol	200 PPM	200 PPM	Not Available
Benzotriazole	15 mg/m3	10 mg/m3	10 mg/m3

#### **Engineering Controls:**

See Section above for applicable exposure limits. Use with adequate ventilation. If TLV is exceeded, wear NIOSH approved respirator.

#### **Personal Protective Equipment:**

Wear protective safety glasses, gloves, and apron.

Page 3 of 4 Monday, August 02, 2010

Melting Point: -144°F

Freezing Point: Not Available

odor

Flash Point Method: TCC

# MSDS - Material Safety Data Sheet Product Name: AIR BRAKE SYSTEM ANTI-FREEZE & RUST GUARD

MSDS No.: M2832

#### IX. Physical and Chemical Properties:

Boiling Point: 148.5°F

Boiling Range: Not Available

Solubility In Water: Completely soluble Evaporation Rate (Butyl Acetate = 1): >2.1

Flash Point: 54°F

Odor Threshold: Not Available Appearance and Odor: Clear blue liquid with alcohol/ammonia

Vapor Density (AIR = 1): 1.110 Vapor Pressure (mm Hg.): 97.25

pH Range: N/A

Partition Coefficient: Not Available

Decomposition Temp: Not Available

Lower Explosive Limit: 7.3% (V)

Partition Coefficient: Not Available

Auto-Ignition Temp: Not Available

Upper Explosive Limit: 36.0% (V)

Specific Gravity (H20 = 1): 0.79

Other Information: Autoignition Temperature: 725°F/ 385°C

#### X. Stability and Reactivity:

#### Stability:

Product is stable

#### **Conditions to Avoid:**

None Known

#### **Incompatible Materials:**

Avoid contact with calcium hypochlorite, hypochlorites, peroxides, reactive metal such as aluminum and magnesium, sodium, strong oxidizers, acids, bases and zinc, Avpod ignition sources.

#### **Hazardous Decomposition Products:**

Normal products of combustion, smoke, carbon dioxide, carbon monoxide.

#### Possibility of Hazardous Reactions:

Will not occur

#### XI. Toxicological Information:

LC50: 64000 ppm/4 hours inhalation-rat

LD50: 5045 mg/kg oral-rat 12800 mg/kg skin-rabbit

#### XII. Ecological Information:

N/D

#### XIII. Disposal Considerations:

DISPOSAL: This container may be recycled in a recycling centers when empty. Before offering for recycling, empty the can or bottle by using the product according to the label. If recycling is not available, wrap the container and discard in the trash. Dispose of unused product in accordance with all local, state government and federal laws and regulations

#### XIV. Transport Information:

Shipping Name: Methanol

DOT Hazard Class: Not Available DOT Subsidiary Hazard Class: Not Available

UN/NA#: Not Available Packing Group: Not Available

**Transportation Information:** 

Page 4 of 4 Monday, August 02, 2010

## MSDS - Material Safety Data Sheet Product Name: AIR BRAKE SYSTEM ANTI-FREEZE & RUST GUARD

MSDS No.: M2832 DOT Hazard Class: ORM-D

Shipping Name: Consumer Commodity

The DOT description is provided to assist in the proper shipping classification of this product and may not be suitable for all shipping purposes.

ICAO/IATA (US)

Shipping name: Methanol Class: 3 (6.1) Packaging group: II UN number: 1230

International: ICAO/IATA UN number: 1230 Shipping name: Methanol Class: 3 (6.1)

Packaging group: II

**IMDG** 

UN number: 1230 Shipping name: Methanol Class: 3 (6.1) Packaging group: II EMS: F-E, S-D

#### XV. Regulatory Information:

SARA 313 Reportable Chemical:

Methanol 67-56-1

USA TSCA: All components of this material are either exempt or listed on the US TSCA Inventory.

State RTK Methanol 67-56-1

XVI.	Other I	nform	ation:

Chemical State: Chemical Type:	X Liquid Pure	Gas  Mixture	Solid
Hazard Category:  Acute	Chronic	X Fire	
Ш	Pressure	Reactive	



#### **Additional Manufacturer Warnings:**

Do not used in confined area without proper ventilation. Contact lenses may cause further damage in case of splash into eye. KEEP AWAY FROM CHILDREN AND ANIMALS!

N/E: Not Established N/D: Not Determined N/A: Not Applicable N/AV: Not Available

# 3 Health 3 Flammability 0 Physical Hazard H Pers. Protection

#### **Additional Product Information:**

While Radiator Specialty Company believes this data is accurate as of the revision date, we make no warranty with respect to the data and we expressly disclaim all liability for reliance thereon. The data is offered solely for information, investigation, and verification. Various government agencies may have specific regulations regarding the transportation, handling, storage, use, or disposal of this product which may not be covered by this MSDS. The user is responsible for full compliance.