

FROM : INTERTEK

FAX NO. : +852 2745 5305

Apr. 26 2006 04:52PM P4

Intertek LabtestRe : Tire Inflator
"Ride-Saver" (China Source)

NUMBER: HJ00417840

MSDS**SAFETY DATA SHEET FOR
TIRE SEALER AND INFLATOR****1. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION**

PRODUCT NAME : TIRE SEALER AND INFLATOR **TRADE NAMES :** NONE
SYNONYMS : NONE **PRODUCT TYPE :** SEALER/INFLATOR
FORMULA : PROPRIETARY

	HAZARD RATINGS*		RATINGS KEY
	NFPA/WHIS	NEPA 704	
HEALTH :	1	1	0 = MINIMAL
FLAMMABILITY :	3	3	1 = SLIGHT
REACTIVITY :	0	0	2 = MODERATE
			3 = SERIOUS
			4 = SEVERE

* SEE SECTION 16 FOR DESIGNATIONS OF ABBREVIATIONS USED IN THIS MSDS.

MANUFACTURER/DISTRIBUTOR
HONG TAI METAL PLASTIC FACTORY
 36 MING AN MIDDLE ROAD
 KIAO LAN TOWN, ZHONG SHANG CITY, GUAN DONG PROVINCE
 CHINA 528415
 TEL: (86-760)2130585

2. COMPOSITION/INFORMATION ON INGREDIENTS

THE FOLLOWING INGREDIENTS IN THIS PRODUCT ARE CONSIDERED TO BE HAZARDOUS BY THE OSHA (AS DEFINED IN THE OSHA HAZARD COMMUNICATION STANDARD 29 CFR 1910).

INGREDIENT	CASRN	% WT.	EXPOSURE LIMITS	
			OSHA PEL	ACGIH TLV
LIQUIFIED PETROLEUM GAS (LPG)	68476-85-7	28.5	1000ppm	1000ppm
TURPENTINE	102-71-6	4.8	100ppm	20ppm

3. HAZARDS IDENTIFICATION**EXTREMELY FLAMMABLE GAS/WATER MIXTURE****ROUTES OF ENTRY :**

INHALATION - MAY CAUSE HEADACHES, NAUSEA, VOMITING.

INGESTION - MAY CAUSE NAUSEA AND VOMITING. MAY BE ASPIRATED INTO THE LUNGS.

SKIN CONTACT - MAY CAUSE IRRITATION AND DERMATITIS.

EYE CONTACT - MAY CAUSE IRRITATION.

CARCINOGENIC : IARC - NO, NTP - NO, OSHA - NO

FROM : INTERTEK

FAX NO. : +852 2745 5905

Apr. 26 2006 04:52PM P5

Intertek Labtest

NUMBER: HJ00417840

4. FIRST AID

INHALATION - REMOVE VICTIM TO FRESH AIR.
INGESTION - DO NOT INDUCE VOMITING. SEEK MEDICAL HELP.
SKIN CONTACT - WASH AFFECTED AREA WITH SOAP AND WARM WATER.
EYE CONTACT - FLUSH AFFECTED EYES WITH COPIOUS AMOUNTS OF WATER.

5. FIRE-FIGHTING MEASURES

EXTREMELY FLAMMABLE GAS/WATER MIXTURE.

EXTINGUISHING MEDIA : DRY CHEMICAL POWDER.

SPECIAL FIRE-FIGHTING PROCEDURES OR EQUIPMENT : NONE FOR SMALL FIRES.

HAZARDOUS COMBUSTION PRODUCTS : CARBON DIOXIDE, CARBON MONOXIDE.
UNUSUAL FIRE/EXPLOSION HAZARDS : MAY BE EXPLOSIVE.

6. ACCIDENTAL RELEASE MEASURES

ADD ABSORBENT WITH INERT MATERIAL AND PLACE IN APPROPRIATE CONTAINER.

7. HANDLING AND STORAGE

STORE PRODUCT AWAY FROM HEAT IN A WELL VENTILATED AREA.

8. EXPOSURE CONTROL/PERSONAL PROTECTION

USE IN PRESENCE OF ADEQUATE VENTILATION AND AWAY FROM SOURCES OF HEAT, SPARKS AND FLAMES. SAFETY GLASSES AND SOLVENT RESISTANT GLOVES RECOMMENDED.

9. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE/STATE : COLOURLESS GAS/WATER MIXTURE

ODOR : ETHER-LIKE

SOLUBILITY (WATER) : INSOLUBLE (ORGANICS) : INSOLUBLE

FLASH POINT : LESS THAN 0°C

10. STABILITY AND REACTIVITY

THIS PRODUCT IS STABLE AND NON-REACTIVE WITH MOST MATERIALS.

天祥公證行有限公司
Intertek Testing Services Hong Kong Ltd.

香港九龍青山徑五十六號駿天中心二樓

2/F, Summit Centre, 56 Castle Peak Road, Kowloon, Hong Kong

Telephone (852) 2173 8892 Fax (852) 2781 1815 Website: <http://www.intertek.hk/test.com>

PAGE 2 OF 4

FROM : INTERTEK

FAX NO. : +852 2745 5805

Apr. 26 2005 04:53PM P6

Intertek Labtest

NUMBER: HJ00417840

11. TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: THIS MATERIAL MAY CAUSE ACUTE TOXICITY VIA INGESTION OR DERMAL CONTACT AND/OR IRRITATING TO THE SKIN/EYES. IF INGESTED MATERIAL IS ASPIRATED INTO THE LUNGS, IT MAY CAUSE OVERWHELMING CHEMICAL PNEUMONITIS.

CHRONIC TOXICITY: NONE KNOWN.

12. ECOLOGICAL INFORMATION

BECAUSE OF THE SMALL AMOUNT OF MATERIAL IN A SINGLE CONSUMER PRODUCT, THIS MATERIAL IS NOT EXPECTED TO CAUSE ANY SIGNIFICANT ADVERSE EFFECTS ON THE ENVIRONMENT WHEN IT IS USED AS INTENDED AND/OR PROPERLY DISPOSED OF. COMPONENTS OF THIS MATERIAL ARE NOT BIOMAGNIFIED OR BIOCONCENTRATED IN THE ENVIRONMENT.

13. DISPOSAL CONSIDERATIONS

THIS PRODUCT MAY BE DISPOSED OF IN A MUNICIPAL LANDFILL.

14. TRANSPORT INFORMATION

US DOT HAZARD CLASS : ORM-D.
US DOT UN NUMBER : 1950

15. REGULATORY INFORMATION

NOTE : THE REGULATORY INFORMATION INCLUDED HERE SHOULD NOT NECESSARILY BE CONSIDERED ALL-INCLUSIVE.

DEPENDING ON THE WEIGHT OF MATERIAL IN A SINGLE BATCH OF PRODUCT, THE INGREDIENTS IN THIS PRODUCT MAY BE SUBJECTED TO THE REPORTING REQUIREMENTS OF THE COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION LIABILITY ACT HAZARDOUS SUBSTANCE LIST, THE SUPERFUND AMENDMENTS REAUTHORIZATION ACT, THE RESOURCE CONSERVATION AND RECOVERY ACT, THE CLEAN AIR ACT OR THE CLEAN WATER ACT (US). THIS MATERIAL IS NOT FORMULATED WITH, NOR DO THE MANUFACTURING OR FORMULATION PROCESSES UTILIZE ANY CLASS I OR CLASS II OZONE DEPLETING SUBSTANCES.

天祥公進行有限公司
Intertek Testing Services Hong Kong Ltd.

香港九龍青山道五七六號新亞中心二樓

2/F., German Centre, 576 Castle Peak Road, Kowloon, (Hong Kong).

Telephone (852) 2173 5888 Fax (852) 2768 1905 Website: <http://www.intertek-labtest.com>

PAGE 3 OF 4

FROM : INTERTEK

FAX NO. : +852 2745 5805

Apr. 26 2006 04:53PM P7

Intertek Labtest

NUMBER: HJ00417840

16. OTHER INFORMATION

THE RECOMMENDATIONS AND INFORMATION CONTAINED IN THIS MSDS HAVE BEEN COMPILED FROM SOURCES BELIEVED TO REPRESENT THE MOST REASONABLE CURRENT OPINION ON THE SUBJECT WHEN THE MSDS WAS PREPARED. HOWEVER, NEITHER THE MANUFACTURER NOR THE DISTRIBUTOR OF THIS PRODUCT PROVIDES ANY WARRANTY, GUARANTY OR REPRESENTATION AS TO THE CORRECTNESS OR SUFFICIENCY OF THIS INFORMATION. IF THIS PRODUCT IS TO BE USED IN LARGE AMOUNTS AND/OR AN UNUSUAL MANNER, THE USER IS OBLIGATED TO DETERMINE WHAT SAFETY MEASURES ARE APPROPRIATE, INCLUDING THE APPLICABLE AND RELEVANT WORKPLACE AND ENVIRONMENTAL REGULATIONS PERTAINING TO HANDLING, USE AND DISPOSAL.

ABBREVIATIONS USED IN THIS MSDS NOT FULLY DESCRIBED IN THE TEXT:

ACGIH = AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

CASRN = CHEMICAL ABSTRACTS SERVICES REGISTRATION NUMBER

CFR = CODE OF FEDERAL REGULATIONS (US)

IARC = INTERNATIONAL AGENCY FOR RESEARCH ON CANCER

NEPA = NATIONAL FIRE PROTECTION ASSOCIATION (US)

NPCA / HMIS = NATIONAL PAINT AND COATINGS ASSOCIATION'S HAZARDOUS MATERIALS INFORMATION SYSTEM (US)

NTP = NATIONAL TOXICOLOGY PROGRAM (US)

OSHA = OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (US)

PEL = PERMISSIBLE EXPOSURE LIMIT

TLV = THRESHOLD LIMIT VALUE

USDOT = UNITED STATES DEPARTMENT OF TRANSPORTATION

DATE OF ISSUE : APR 21, 2006 TO APR 24, 2006

天祥公證行有限公司

Intertek Testing Services Hong Kong Ltd.

香港九龍青山灣五十四號樂花園中心二樓

2/F., Cheung Chee Centre, 54 Castle Peak Road, Kowloon, Hong Kong.

Tel: (852) 2773 6880 Fax: (852) 2780 1003 Website: <http://www.intertek.com>

PAGE 4 OF 4